



Pleuroscopy

UHN

Patient Education
Improving Health Through Education

Your surgery is on: _____

Your surgery time is: _____

Please come to the hospital at: _____

This information is to be used for informational purposes only and is not intended as a substitute for professional medical advice, diagnosis or treatment. Please consult your health care provider for advice about a specific medical condition. A single copy of these materials may be reprinted for non-commercial personal use only.

© 2010 University Health Network. All rights reserved.

**Author: Susan Walker RN, MN-APN, Gina Bryden RN, B.A, MAEd & Thoracic Surgery team
Created: 09/2010**

Form: D-5688



University Health Network
Toronto General Hospital Toronto Western Hospital Princess Margaret Hospital

Welcome

Welcome to the Thoracic Surgical Division at University Health Network – Toronto General Hospital Division. At UHN, we do 1500 lung surgeries each year. UHN is a teaching hospital. We train approximately 6 new lung surgeons each year.

Your surgeon has scheduled you for lung surgery. This booklet gives you information about your surgery. It will help you prepare for surgery, know what to expect while in hospital and help you get ready for your discharge from hospital and recovery at home.

Table of Contents

Welcome	2
Preparing for your Surgery	4
What is the lung surgery I am having?	4
Tests before your surgery.....	5
Your Pre-admission Visit.....	5
Can the time for my surgery change?	5
My Hospital Stay	6
Where will I go after surgery?	6
How will I feel after surgery?	6
What will happen after surgery?	6
What incisions, tubes or drains can I expect?	8
How will my pain be managed?.....	9
Pain management options	10
Are there any side effects of pain medicine?	10
Are there any other ways to control my pain?	11
How can my family be involved in my care?	11
Going Home	12
What symptoms may I feel as I recover?.....	12
What instructions do I follow once I am home after surgery?.....	13
When should I call the surgeon?.....	15
Who do I call for more information?	15
Appendix	16
Deep breathing exercises	16
Walking.....	16
Shoulder exercises	17
Posture.....	17
Definitions	18
Websites	20


Preparing for your Surgery

What is the lung surgery I am having?

You are having a **Pleuroscopy/Thoracoscopy**. This means that the doctor will look at the lining of your chest wall and lungs. Sometimes, the doctor will take a biopsy (s) of the lining. Your surgeon will do your surgery using a special video scope. This is called video assisted thoracic surgery (VATS).

In your body, you have 2 lungs. Your right lung has 3 parts. Your left lung has 2 parts. These parts are called lobes.

You may have an infection around your lung. Or, you may have a mass outside your lung. The problem may be benign or malignant. Benign means that it is not a cancer. Malignant means that it is a cancer. Your doctor will tell you what you have.



You will stay in the hospital 1 – 3 days. Your discharge from hospital is based on your recovery. You may be told during morning rounds by the team that you are well enough to go home that day. You should prearrange your own ride home before coming into hospital.

Tests before your surgery

To prepare for your surgery, you will have a complete physical examination. You may also need several tests before your surgery. These tests help the surgeon to plan your surgery. These tests may include one or more of the following:

- PFT
- Exercise Oximetry
- CT Scan
- Bronchoscopy

We will give you information about the tests that you need. We do these tests to look for any other health problems. Your risk of surgery can be decreased by managing these health problems before surgery.

Your Pre-admission Visit

For specific information about your pre-admission visit, please refer to the information in the “My Surgery Binder”.

During your pre-admission visit, we will take you on a tour of 10 Eaton South, the inpatient ward where you will go after surgery.

***Please note:**

If you do not come for your pre-admission visit, your surgery will be canceled unless other arrangements have been made for you.

Can the time for my surgery change?

Yes.

Several of our Thoracic surgeons perform lung transplants. If we need to do a transplant or another emergency comes up, we may need to reschedule your surgery for another date and time.

My Hospital Stay

In this section, we will tell you what to expect while you are in the hospital. We will help you understand the equipment that we will use to care for you and tell you how your family can help.

Where will I go after surgery?

- You may stay in the Post Anaesthetic Care Unit (PACU)/recovery room for a couple of hours. Once you are fully awake and your condition is stable, we will take you up to 10 Eaton South (10ES). You will stay on 10ES until you are discharged.

How will I feel after surgery?

- During your surgery, we will give you a general anesthetic. This will make you feel sleepy for some time after the operation.
- You may have nausea and be sick to your stomach. The nurse will tell you to take deep breaths. This helps to decrease your nausea and fully expand your lungs.
- During your surgery, you will also have a breathing tube in your throat. This may cause your throat to be sore afterwards. It will feel better after a couple of days. Tell your nurse and doctor if your throat is sore.

What will happen after surgery?

- Your nurse will be checking your blood pressure, pulse and temperature. The nurse will also be checking your heart, breathing and oxygen level.
- You will do breathing and coughing exercises. These are the exercises that the Pre-admission nurse and physiotherapist taught you. These exercises are very important. They will keep your lungs clear and well expanded. After surgery, your body will make more mucous in your lungs than usual. You must cough the mucous out as this will help to prevent pneumonia.

Do the exercises at least 10 times per hour while you are awake. Instructions are also at the end of this book (see the Appendix on page 16).

- You will walk in the halls of the unit. Walking will also help to expand your lungs. To get you back to walking, your team will help you follow these steps.
 1. First, we will help you sit at the side of your bed and “dangle” your legs.
 2. You may be out of bed and walking around your room on the evening of surgery.
 3. You will be able to sit in a chair for meals.
 4. The first morning after surgery, you will go for a walk out in the hallway. You will have a high-wheeled walker to help support you.
 5. You will walk out in the hallway 2 to 3 times a day.
 6. Your activity will be gradually increased. The nurse and physiotherapist will continue to help you until you can walk on your own.

***Please note:** On 10ES, 23 laps around the unit equals one mile.

- A physiotherapist may treat you once or twice a day. How often you see the physiotherapist will depend on your condition. The physiotherapist will help you with your:
 - Deep breathing and coughing exercises. These exercises help to clear your lungs of mucous.
 - Shoulder exercises on the side of your operation. These exercises help you to keep your shoulder joint moving fully.

Your nurse will help you with these exercises at night.
- You will be able to eat and drink the evening of your surgery.
- Once your drainage tube is out, we suggest that you shower every day.

What incisions, tubes or drains can I expect?

You will have:

Incisions, tubes or drains	Explanation
Incisions	<p>You will usually have 2 - 3 incisions. Each incision is about 2 cm long. Your surgeon will use dissolvable stitches to close the incisions. This means they will go away on their own.</p> <p>You will have a chest tube placed through one of the incisions. This incision will be closed at the time of the removal of the chest tube. Your surgeon closes this incision using non dissolvable stitches. This means the stitches will have to be removed. The stitches are taken out 7 days after the tube is removed.</p>
Chest tube	<p>You will have a chest tube coming out of your side. This tube removes air and fluid from your chest cavity. This tube will stay in 2–3 days. The tube is attached to a machine called a Pleurovac™. The Pleurovac™ is then attached to a suction source on the wall.</p> <p>Stitches are used to keep the chest tube in place. These stitches are not dissolvable. The stitches will be removed 1-7 days after the chest tube is taken out. You may need to go to your family doctor to have your stitches removed.</p>
Foley Catheter	<p>You may have a tube draining your bladder. This is called a foley catheter. The nurse will measure how much urine you pass. This tube will usually be in overnight. When the tube is removed, the nurse will still measure your urine.</p>
Intravenous (IV)	<p>You will have an IV. We will use it to give you fluids and medicines. The IV will stay in until you are drinking well. This is usually in for 1 – 2 days. The IV must stay in as long as you are getting pain medication through a pump.</p>
Oxygen	<p>An oxygen mask will cover your nose and mouth. When you do not need the oxygen mask anymore, you may be placed onto nasal prongs. Nasal prongs sit below your nose. Both types give you extra oxygen. You may need this overnight or for a couple of days after your surgery.</p> <p>When your lungs are working well enough, the oxygen will be taken off.</p>
Pain Medicine Pump	<p>You may have a pump for the pain medicine. This will be attached to your IV.</p>

How will my pain be managed?

We will work with you to manage your pain. We encourage you to take the pain medicine regularly. This will stop the pain from getting worse. You will only be on the pain medicine for a short time. Therefore, you will not become addicted to it.

We can give you pain medicine in different ways. The methods we use are listed below. We will talk more about this at your pre-admission visit.

Pain management options

There are several ways to manage your pain. These include:

Pain method	How this method works
Intravenous (IV) Patient Controlled Analgesic or PCA	<p>A PCA pump is connected to your IV. The pump gives you pain medicine through your IV when you push the button. You should press the button:</p> <ul style="list-style-type: none">• when you start to feel pain• before you do something that brings on pain• before you do deep breathing and coughing exercises, and• before you start to move or turn. <p>You should feel the effects of pushing the button within 2-3 minutes. If you do not feel any pain relief, let your nurse know. There is a limit to how much pain medicine you can have in any 4 hours. To control how much medicine you get, the PCA pump has a safety timer called a lock out.</p> <p>The lock out time is 5–10 minutes after you have pressed the button. If you press the button during the lockout time, you will not receive more medicine. Only you should press the button.</p> <p>Do not use the PCA for gas pain.</p>
Intravenous (IV) Medicine	<p>Your pain medicine is given through an IV. It is important to let your nurse know when you have pain. She or he can give you the pain medicine. If you do not feel any pain relief, let your nurse know.</p>
Medicine by mouth	<p>You will be given your pain medicine in tablet form. This will happen once you are drinking fluids and your pain is well controlled. Let your nurse know when you have pain. She or he can give you the pain medicine.</p>

You must ask for your pain medicine. Your nurse will not be in the room with you at all times. Therefore, you must monitor your pain and ask for the medicine as you need it. Expect to continue to need the pain medicine every 3-4 hours for the first few days. As you heal, the pain will get less and you will not need the pain medicine as often.

Are there any side effects of pain medicine?

Some patients may have some side effects. These can include:

- constipation
- nausea and vomiting
- sleepiness
- itching
- headaches

Tell your nurse if you have any of these side effects.

Are there any other ways to control my pain?

There are other ways of managing pain. These include:

Other ways to control your pain	
Relaxation Breathing	This involves redirecting your attention away from your pain and onto your breathing. You begin by focusing on your breathing. Take slow deep breaths in through your nose. Blow the breaths out through your mouth.
Visualization	Visualization involves imagining yourself without pain. You begin by closing your eyes. Imagine yourself in a place or specific time that brought you happiness. It may be on a beach, at the cottage or on a mountaintop. Try to remember the sounds, the smells, and every detail of the experience.
Massage	Gently rubbing your back, shoulders or arms can relieve tension. This can help to decrease your pain. A family member can help you with this.
Therapeutic Touch	The nurse uses his or her hands to help with healing. This treatment can be used to decrease your pain. The Nurse Practitioner with the Pain Service can help arrange these treatments for you.

How can my family be involved in my care?

We encourage your family to be involved in your care. Things they can do include:

- sharing information
- decision making
- being present for tests
- helping with your care.

It is really important that your family take care of themselves. Your relatives may become very tired while you are in hospital. The nurse may ask your family to take a break. This may mean going home for a rest.

We have a visitor's lounge for your family to sit. We also have specific visiting hours. They are 11:00 a.m. to 9:00 p.m.

Only two people may visit at one time.

Please check with your nurse or dietician before anyone brings food in for you. You may have special diet needs after surgery which might restrict the food that you can eat.

Going Home

During your hospital stay, we will help you to prepare for going home.

What symptoms may I feel as I recover?

Your healing and recovery will not happen overnight. Each person recovers at his or her own pace. Recovery time depends on a number of things such as age, general health and mental attitude. Your family doctor can help you to manage your symptoms as needed. These may include the following:

Appetite

Your appetite should return to normal within a few days. It will increase as your level of physical activity increases. If a poor appetite continues to be a problem, you should see your family doctor.

Bowel Upset

Constipation is common when you take pain medicine. Drink plenty of fluids (a minimum of 6 cups per day unless your doctor or dietitian tells you otherwise). If you have no other diet requirements or special needs, add bran, high fibre breads and cereals, berries, dried fruit or prune juice to your diet.

You will be prescribed a stool softener while on the pain medicine. You may also use a mild laxative if you need one. Your normal routine should return once you stop taking the pain medicine. If you have further problems see your family doctor.

Pain

As you become more active you may have more discomfort. We will order pain medicine for you when you are discharged. It is important to take pain medicine as needed. This will help you to recover. Your family doctor can help you to manage side effects of the pain medicine if you have them.

Emotions

You may feel tired and discouraged for several days after surgery. As you recover and regain your strength, this should improve. If not, please see your family doctor.

What instructions do I follow once I am home after surgery?

Activity

You may gradually increase your activity. Walk at least once everyday as you can tolerate it. Follow the exercise program listed in the Appendix on page 16 and 17.

Incisions

The incisions will not need to be covered unless your clothes are rubbing on them. Do not put lotions or creams on the incisions until they are completely healed. Most of the pain should be gone by 4-6 weeks after your surgery. There may be a "bump" along the incisions. It will decrease in size over 4-6 weeks. The area around your incisions may feel numb. This numbness is normal. It may last for several months, or forever. The numbness may be worse on cold, damp days. It usually improves with time.

Showering / Bathing

You can shower once you get home. You should have a daily shower. Use a mild soap. Let the water run over the incisions. Pat the incisions dry with a towel.

Returning to work

You will be off work for at least 1 week. Depending on your job, you may need to be off longer. Check with your surgeon.

Driving

You should not drive until you are off the pain medicine. The pain medicine you are taking may make you drowsy. You can drive once you have regained full mobility and can safely steer a car. This is usually 3 - 5 days after your surgery.

Lifting

No heavy lifting, carrying, pushing or pulling for 2 - 3 weeks. This includes no vacuuming, carrying heavy groceries, shoveling snow, etc. You may lift up to 22kg (10 pounds). Lifting more than this may stress your incision.

Sex

You may have sex again, but avoid positions that cause strain on your incision.

Sports

You can swim or golf after 2 – 3 weeks. Jogging, tennis, aerobics, and racquetball should not be done for 4 weeks. Sky diving and scuba diving should be discussed with your surgeon. Scuba diving is not recommended after some lung surgery.

Travel

Please check with your surgeon about traveling. We usually recommend that you do not travel by air for 2 - 3 weeks.

Medicines

During your hospital stay, your medicines may change. You can review these with your nurse, surgeon or pharmacist. Prescriptions will be given to you before you leave the hospital. See your family doctor if you have further questions.

Problems after surgery

Your surgeon will send a letter to your family doctor about your operation. Your family doctor will provide ongoing medical care once you leave the hospital. You should see your family doctor for any problems or questions about your medications, prescriptions, pain management, sleeping problems, appetite or constipation.

Follow up appointment

You will be told when to see your surgeon. This is usually in 4-6 weeks after surgery. If you do not have an appointment for follow-up before leaving the hospital, call your surgeon's office. You should call to arrange a follow-up visit within a week of going home.

On the day of your follow-up appointment, go to the x-ray department first. You will have a chest x-ray done.

Please bring your blue hospital card and your health card to your follow-up visit.

When should I call the surgeon?

Contact your surgeon for any of the following:

- new redness or swelling around one of your incisions
- any drainage or pus from one of your incisions
- increase in pain at one of your incisions
- fever (higher than 37.5°C or 98.6°F)
- shortness of breath
- coughing out mucous that is yellow or green in colour, or has a bad smell
- coughing up fresh red blood
- anything else that concerns you about your recovery.

If you have more questions after you leave the hospital, please call your surgeon's office:

Dr. G. Darling	416 - 340 - 3121
Dr. M. De Perrot	416 - 340 - 5549
Dr. S. Keshavjee	416 - 340 - 4010
Dr. A. Pierre	416 - 340 - 5354
Dr. T. Waddell	416 - 340 - 3432
Dr. K. Yasufuku	416 - 340 - 4290

Who do I call for more information?

While you are in the hospital, you or your family can talk to your nurse or other team members on 10 ES. The number is: 416 - 340 - 3166.

Before or after your surgery, you may call the Nurse Practitioner for Thoracic Surgery. Her name is Susan Walker. Her number is: 416 - 340 - 4038.

If you have an emergency, call 911 or go to your nearest Emergency department.

If you need information about the time of your surgery, tests or appointments with your surgeon, call your surgeon's office. The numbers are listed above.

Appendix

To help with your recovery at home, you will work on 4 exercises:

1. deep breathing and coughing
2. walking
3. arm exercises
4. posture

If you have any questions about these exercises, call 10ES and ask for the physiotherapist, Anne Kuus. The number is: 416 - 340 - 3166

Deep breathing and coughing exercises

1. Take a deep breath in through your nose.
2. Hold for a second or two.
3. Blow the air out through your mouth. Do not force the air out.
4. Repeat slowly several times, then...
5. Cough deeply. Not a shallow throat cough. Support your incision with a pillow or your arms.
6. Rest briefly, then...
7. Repeat steps 1–6.

Repeat these exercises 10 times every hour while awake.
Do these exercises until you are up and moving around.

Walking

Walking is the best exercise you can do after lung surgery. When, where and how long you should walk will depend on your condition when you leave the hospital. We will give you information about walking before you are discharged. This chart will help you with your walking routine.

Week #	Minutes to walk	Number of times per day	Number of blocks to walk
1			
2			
3			
4			
5			
6			

Places to walk:

1. Up and down the hallways of your apartment or condominium.
2. Outside in a park or along a sidewalk. Make sure there are benches along the way. You may need to sit down and rest.
3. In shopping malls, early in the morning. Many malls now cater to people who need to exercise indoors. Many malls open their doors as early as 7:30 am. This way you can exercise before all the crowds arrive.

Shoulder exercises

The shoulder on the side of your operation may become stiff. This is because of the location of your incision. Continue these exercises until your joint stiffness is gone.

Do these exercises 2 - 3 times a day in front of a mirror. Watching yourself in the mirror helps you to keep good posture. Make sure that your shoulders are level.

What to do:

1. Clasp your hands together. Lift your arms straight up over your head. Lower to the starting position. Repeat 5 times.
2. Clasp your hands together. Lift your arms up over your head. Continue until you touch the back of your neck. Lower them to the starting position. Repeat 5 times.
3. Place one hand behind your back. With the tip of your thumb, try to touch your shoulder blade. Lower your hand to the starting position. Repeat 5 times.

Posture

After you have surgery with a chest incision, it is easy to develop bad posture. It is important that you keep good posture after your surgery. When you are sitting, standing or walking, make sure your shoulders are level and your back is straight.

Definitions

In the “My Surgery Binder” that you received, there are many general medical terms listed. The definitions below are other terms that are related to thoracic surgery. You may hear these terms used by the health care team members who are looking after you.

Bronchoscopy (bronch): This is a procedure where your doctor looks down your windpipe and into your lungs. It is done with a special telescope. You will be drowsy or asleep for this procedure.

Chest x-ray: a chest x-ray is a special picture of your lungs and other structures in your chest. We use a special machine to take the picture. Sometimes the x-ray technicians will bring the machine to your room to take the x-ray. When you are well enough, you will go to the x-ray department.

CT scan: A CT or CAT scan is a special xray that takes pictures of your body in thin slices. You may have a scan of your chest and / or abdomen. For a chest scan, a dye will be injected into your vein. The scan will take about 30 minutes to complete. If you are having an abdominal scan, you will need to drink a contrast / dye which will be given to you at the hospital before your scan. The scan will take about 30 minutes to complete. There is no pain with a CT scan other than the needle prick to inject the dye for the chest scan.

Dressing: a dressing is a bandage on your incision.

Endo Suite or Endoscopy:

The Endo Suite is the unit where you may have a bronchoscopy done. The location is:

2nd Floor

North Building

Toronto General Hospital

Exercise Oximetry: a test done by the physiotherapist (PT) to measure the level of oxygen in your blood. A small probe (like a clothes pin) is clipped onto your finger. There is no pain with this test. If you are able to, you will walk with the PT for 6 minutes. You may also go up some stairs. This test takes 15-20 minutes to do.

Pleurovac™: A Pleurovac™ is the drainage machine that is connected to a chest tube to drain air and fluids from your chest cavity.

Pulmonary function test (PFT): a special breathing test to assess your lungs. You may have this done before surgery. This test takes about 1 hour.

Sutures: Suture is a word that means stitches. These are put in at the end of your operation while you are still asleep. Your surgeon uses sutures to sew up your incision. They will hold your skin together until it heals.

Sutures are sometimes dissolvable. This means that they will go away on their own. When sutures are not dissolvable, they need to be taken be out by a nurse or your family doctor. You will be told which type of sutures you have after surgery.

Thoracic: This is a term that we use when we talk about anything to do with the chest.

Key Points

The following are key points that you must remember:

- You must attend your preadmission visit.
- Do not eat anything after midnight, the night before surgery. You may have clear fluids to drink up to 5 hours before surgery.
- On the morning of surgery, take your medicines with a small sip of water as instructed by the anesthetist.
- On the morning of surgery, arrive at the Surgical Admission Unit at the designated time.
- Arrange for someone to help you after surgery once you return home.
- Arrange a drive home.
- You must not drive until you are off the pain medicine. This is usually 3 to 5 days after surgery.

If you have ideas to improve this booklet, please let us know.
Call Susan Walker at: 416 - 340 - 4038.

Websites

Cancer Care Ontario

<http://www.cancercareontario.com/>

Canadian Cancer Society

http://www.cancer.ca/ccs/internet/frontdoor/0,,3543____langId-en,00.html

The Society of Thoracic Surgeons (STS)

<http://www.sts.org/sections/patientinformation/>

Up-To-Date Patient Information

http://patients.uptodate.com/toc.asp?toc=lung_disease&title=Lung%20disease

Questions and notes
